IB/2005/050361

PA 1161843

THE UNITED STATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

April 26, 2004

THIS IS TO CERTIFY THAT ANNEXED HERETO IS A TRUE COPY FROM THE RECORDS OF THE UNITED STATES PATENT AND TRADEMARK OFFICE OF THOSE PAPERS OF THE BELOW IDENTIFIED PATENT APPLICATION THAT MET THE REQUIREMENTS TO BE GRANTED A FILING DATE UNDER 35 USC 111.

APPLICATION NUMBER: *60/540,710*
FILING DATE: *January 30, 2004*

PRIORITY DOCUMENT
SUBMITTED OR TRANSMITTED IN COMPLIANCE WITH RULE 17.1(a) OR (b)

By Authority of the
COMMISSIONER OF PATENTS AND TRADEMARKS

M. K. HAWKINS
Certifying Officer

PATENT APPLICATION SERIAL NO. _____

U.S. DEPARTMENT OF COMMERCE
PATENT AND TRADEMARK OFFICE
FEE RECORD SHEET

02/05/2004 MAHMED1 00000022 141270 60540710
01 FC:1005 160.00 DA

PTO-1556
(5/87)

*U.S. Government Printing Office: 2001 — 481-697/59173

Please type a plus sign (+) inside this box → [+]

PTO/SB/16 (02-01)
Approved for use through 10/31/2002. OMB 0651-0032
Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

PROVISIONAL APPLICATION FOR PATENT COVER SHEET

This is a request for filing a PROVISIONAL APPLICATION FOR PATENT under 37 CFR 1.53 (c).

Express Mail Label No. EV 312 068 365 Date of Deposit: January 30, 2004

INVENTOR(S)		
Given Name (first and middle [if any])	Family Name or Surname	Residence (City and either State or Foreign Country)
Jeffrey Arthur	SHIMIZU	Cortlandt Manor, NY

☐ Additional inventors are being named on the _____ separately numbered sheets attached hereto

TITLE OF THE INVENTION (280 characters max)

ENHANCEMENT OF VIDEO IMAGES BY BOOST OF SECONDARY COLORS

CORRESPONDENCE ADDRESS

Direct all correspondence to:

☒ Customer Number 24737 → *24737*

OR Type Customer Number here

☒ Firm or Individual Name	U. S. PHILIPS CORPORATION				
Address	P. O. BOX 3001				
Address					
City	BRIARCLIFF MANOR	State	NY	ZIP	10510
Country	USA	Telephone	(914) 945-6000	Fax	(914) 332-0615

ENCLOSED APPLICATION PARTS (check all that apply)

☒ Specification Number of Pages 7 ☐ CD(s), Number

X Drawing(s) Number of Sheets 2 Other (specify)

☐ Application Data Sheet. See 37 CFR 1.76

METHOD OF PAYMENT OF FILING FEES FOR THIS PROVISIONAL APPLICATION FOR PATENT (check one)

☐ Applicant claims small entity status. See 37 CFR 1.27.

☐ A check or money order is enclosed to cover the filing fees

FILING FEE AMOUNT ($)

☒ The Commissioner is hereby authorized to charge filing fees or credit any overpayment to Deposit Account Number: 14-1270 160.00

☐ Payment by credit card. Form PTO-2038 is attached.

The invention was made by an agency of the United States Government or under a contract with an agency of the United States Government.

☒ No.

☐ Yes, the name of the U.S. Government agency and the Government contract number are: _____.

Respectfully submitted,

SIGNATURE _____ Date January 30, 2004

TYPED or PRINTED NAME ERIC M. BRAM REGISTRATION NO.: 37,285 (if appropriate)

TELEPHONE (914) 333-9635 Docket Number: US 040097

USE ONLY FOR FILING A PROVISIONAL APPLICATION FOR PATENT

This collection of information is required by 37 CFR 1.51. The information is used by the public to file (and by the PTO to process) a provisional application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 8 hours to complete, including gathering, preparing, and submitting the complete provisional application to the PTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, Washington, D.C., 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Box Provisional Application, Assistant Commissioner for Patents, Alexandria, VA 22313.

ENHANCEMENT OF VIDEO IMAGES BY BOOST OF SECONDARY COLORS

This invention relates to perceived image quality, and more particularly to improving perceived image color quality in television or other video displays.

Nearly all displays show color through the mixing of three primary colors, usually red, green, and blue. However, the gamut of a three-color display does not cover the full range of naturally occurring colors. Nor does it cover the gamut of colors achieved through printing on paper with dyes and inks. For this reason a number of proposals, for example, WTO patent disclosures WO0195544, WO0250763, and references cited therein, exist for displays and display systems that make use of more than three colors in an additive electronic display. This approach will effectively increase the gamut of displayable colors. However the penalty is a significant increase in the complexity of the display and increased complexity in the required data handling.

It has been found that a multi-primary (i.e. more than three) display does enhance the perceived quality of video imagery, even when standard sources are used. Standard video sources generally do not use sensors or video data paths that account for multiple primaries. Further if the signal passes through RGB (red, green, blue) data processing, any information for colors outside the three-color gamut is lost. Hence, any enhancement to image quality of a wider color gamut comes from the distortion or stretching of video data, and not from a more accurate representation of color data.

It is also known that an increase in overall color saturation improves the perception of video images. Thus, studio or post-production of video material typically makes use of color saturation boost. Saturation control is also included at the display level. The user may set the saturation level of the display and the default position is chosen by the maker to give the most pleasing image to the average viewer.

It would be desirable to enhance the video image through processing of the video signal, without requiring a hardware change of the basic display. It would also be desirable to achieve much of the subjective advantage of a multi-primary display, without the large complexity of adding additional primaries. Signal processing is used to boost the image when

the color falls at or near the secondary colors of cyan, magenta, and yellow. This is more effective than an overall saturation boost that enhances color everywhere.

To address one or more of these problems, in one aspect of the invention, a method for enhancing a video image includes inputting a video signal and shifting hue of the signal to be closer to a secondary color.

In another aspect of the invention, a method for enhancing a video image includes inputting video signals representative of the image and increasing color saturation of the video signals as a function of proximity of their hue to a secondary color.

In another aspect of the invention, a method for enhancing a video image includes inputting video signals representative of the image and increasing lightness of the video signals as a function of proximity of their hue to a secondary color.

The following drawing figures are illustrative of these effects:

Fig. 1 is a plot of the boosted saturation signal as a function of the input hue and saturation values according to an example embodiment of the invention; and

Fig. 2 is a plot of the hue enhancement function in an expansion of the secondary color regions in an example embodiment of the invention.

From experiments with a multi-primary display, the most notable enhancements come from the ability to display saturated and strong cyan and yellow colors. Based on these subjective observations, it is desirable to boost the image when data calls for a color in these regions. Further, a boost in the magenta area may also be beneficial. Thus one method of implementing the invention is to examine the incoming signal for the desired color and to enhance the secondary color regions of cyan, magenta, and yellow. However, if the color falls near the primary colors of red, green, and blue, no enhancement is applied.

For the purposes of this description the image will be examined with regard to hue, lightness, and saturation (HLS). The signal may be converted from RGB (red, green, blue) to HLS. Alternatively the signal may be converted from other common formats, such as YCC, YUV to an equivalent HLS space. In the discussion below the lightness and saturation scales are normalized between 0 and 1, and the saturation signal is between 0 and 360, where 0 is red, 120 is green, and 240 is blue.

One method of enhancing the secondary colors of the image is to process the video signal so that when the hue signal falls near a secondary color (as opposed to a primary color), the saturation of the color is increased. Conversely when the hue signal is near a primary color there is no change applied to the data. The resultant saturation signal is a function of the incoming saturation and hue. For example,

$$sat' = sat + 0.3*\sin^2(3/2*hue)$$

where the sine function is evaluated in degrees. The saturation function is shown below in Fig. 1. A flat plane would represent no change in signal.

Another method of enhancing the secondary colors is to emphasize the secondary colors by imparting a boost in lightness (brightness, luminance) as hue approaches one or more secondary colors. For example,

$$lit' = lit + 0.08*\sin^2(3/2*hue)$$

The enhancement to lightness is not as strong as the boost to the saturation signal.

Another method of enhancing the secondary colors is to actually shift the hue values toward one or more secondary colors. The aim is to bring colors near the secondary colors, closer to the pure secondary color. For example,

$$hue' = hue + 5*\sin(3*hue).$$

A plot of this hue enhancement function is shown in Fig. 2. The functions given above are examples. The actual boosts would be determined by a greater examination of the perceived impact on the picture. Coefficients would be tuned by perception studies. The functions can be changed as long as the aim of boost near the secondary color regions is maintained. Functions more compatible with fixed point processing of video data may likely be substituted.

The algorithm should create little change where flesh tones are shown. The algorithm may also be changed to reduce the change in the red/orange regions. Thus the width and magnitude of the boost functions could be tailored differently in the three areas of cyan, magenta, and yellow.

Any one, or a combination of more than one of these methods may be used. They may be applied for enhancing only one, or more secondary colors. The effect may be made greater for one or more particular secondary colors by choice of weighting factors.

Other embodiments, variations of embodiments, and equivalents, as well as other aspects, objects, and advantages of the invention, will be apparent to those skilled in the art and can be obtained from a study of the drawings, the disclosure, and the appended claims.

CLAIMS

1. A method for enhancing a video image, comprising:
inputting a video signal; and
shifting hue of the signals to be closer to a secondary color.

2. The method of claim 1, including converting the video signal from RGB to HLS.

3. The method of claim 2, including converting the input signal to an equivalent HLS space.

4. The method of claim 1, including converting the video signal from RGB to HLS.

5. The method of claim 1, including converting the input signal to an equivalent HLS space.

6. A method for enhancing a video image, comprising:
inputting video signals representative of the image; and
increasing color saturation of the video signals as a function of color saturation and proximity of hue of the video signals to a secondary color.

7. The method of claim 6, wherein the closer the video signal is in hue to a secondary color, the more its color saturation is increased.

8. The method of claim 7, wherein the color saturation of cyan and yellow colors in the input video signal is increased while not color saturation of primary colors is not.

9. The method of claim 9, wherein the color saturation of magenta color in the input video signal is increased.

10. A method for enhancing a video image, comprising:

inputting video signals representative of the image; and

increasing lightness of the video signals as a function of lightness and proximity of hue of the video signals to a secondary color.

11. The method of claim 10, wherein the closer the video signal is in hue to a secondary color, the more its lightness is increased.

12. The method of claim 11, wherein the lightness of cyan and yellow colors in the input video signal is increased while not lightness of primary colors is not.

13. The method of claim 12, wherein the lightness of magenta color in the input video signal is increased.

ABSTRACT

A method for enhancing a video image by processing a video signal includes inputting a video signal and boosting color saturation or lightness of the video signal as a its hue gets closer to a secondary color, and/or shifting the hue of the video signal toward one or more secondary colors. This produces an enhancement of secondary color representation, for example by boosting cyan and yellow colors while not boosting primary colors.

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of

JEFFREY A. SHIMIZU

Serial No.

Filed: CONCURRENTLY

Title: ENHANCEMENT OF VIDEO IMAGES BY BOOST OF SECONDARY COLORS

Atty. Docket

US 040097

Commissioner for Patents
Alexandria, VA 22313

APPOINTMENT OF ASSOCIATES

Sir:

The undersigned Attorney of Record hereby revokes all prior appointments (if any) of Associate Attorney(s) or Agent(s) in the above-captioned case and appoints:

ERIC M. BRAM **(Registration No. 37,285)**

c/o U.S. PHILIPS CORPORATION, Intellectual Property Department, P.O. BOX 3001, Briarcliff Manor NY 10510, his Associate Attorney(s)/Agent(s) with all the usual powers to prosecute the above-identified application and any division or continuation thereof, to make alterations and amendments therein, and to transact all business in the Patent and Trademark Office connected therewith.

ALL CORRESPONDENCE CONCERNING THIS APPLICATION AND THE LETTERS PATENT WHEN GRANTED SHOULD BE ADDRESSED TO THE UNDERSIGNED ATTORNEY OF RECORD.

Respectfully,

Michael E. Marion, Reg. 32,266
Attorney of Record



Fig. 1



Fig. 2